$\frac{4}{7}$

C-Terminal Cleavage N-Terminal Cleavage intein(C) T4 ligase COO MBP intein(N) CBD Bind to Bind to Chitin Beads Chitin Beads Chitin Chitin CBD intein(C) T4 ligase MBP intein(N) resin resin room temperature 4°C pH 7.0 **MESNA** Chitin Chitin CBD intein(C) intein(N) CBD resin resin T4 ligase MBP -SR Isolation of proteins followed by "native chemical ligation" chemistry HS CH₂ 0 T4 ligase | H H





FIGURE 3



1 CAACTCGGGAGGATAGAGGCAACCAACCCCTGTGTATCCGGTGACACCAT 50
51 TGTAATGACATCCGGGGGTCCGCGGACAGTGGCTGAACTGGAGGGCAAGC 100
101 CCTTCACCGCACTTATCAGGGGCTCAGGGTACCCCTGCCCCTCAGGTTTC 150
151 TTCAGGACCTGTGAACGGGACGTATATGATCTTAGAACCAGGGAGGG
201 TTGCTTAAGGTTGACCCATGATCACAGGGTCCTTGTAATGGATGG
251 TGGAATGCCGCCGCCGGTGAACTTGAAAGGGGAGACCGCCTTGTGATG 300
301 GATGATGCTGCAGGGGAGTTTCCGGCACTTGCAACCTTCAGAGGCCTCAG 350 289 GATGATGCAGCTGGCGAGTTTCCGGCACTGGCAACCTTCCGTGGCCTGCG 338
351 GGGCGCCGCCAGGATGTCTATGACGCCACTGTCTACGGTGCCAGTG 400 339 TGGCGCTGGCCGCCAGGATGTTTATGACGCTACTGTTTACGGTGCTAGCG 388
401 CATTCACAGCCAATGGATTCATAGTCCACAACTGTGGGGAGCAGCCACTC 450
451 CTCACCCATGAA 462 439 GGTGAATTC 447